

MATERIAL SAFETY DATA SHEET (MSDS)

DRAIN/STAIN GUARD

SECTION I

EMERGENCY TELEPHONE #

Trade Name: DRAIN/STAIN GUARD 1-800-424-9300

Chemical Name: NA

Manufacturer's Name and phone #: Frigid Fluid Company 1-708 836-1215

Address: 11631 W. Grand Ave. Chicago, IL 60164

SECTION II - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	% by Wt.	Exposure Limits (PPM)			
			OSHA		ACGIH	
			TWA	STEL	TWA	STEL
Triethanolamine	102-71-6	2-5	NE	NE	5 (mist)	NA

SECTION III - HAZARDS IDENTIFICATION

Emergency Overview: May irritate eyes.

Potential Health Effects:

Inhalation: Not expected to be a problem under normal use conditions.

Eye Contact: May cause moderate to severe irritation.

Skin Contact: May cause mild irritation.

Ingestion: May cause stomach upset.

Chronic: Contains no chemical listed as a cancer causer by the NTP, IARC or OSHA. No known chronic effects

SECTION IV - FIRST AID MEASURES

Inhalation: Not expected to be a route of entry under normal use conditions.

Eye Contact: Flush with water for 15 minutes. Call a physician immediately.

Skin Contact: Wash with soap and water after removing contaminated clothing. Call a physician if irritation persists.

Ingestion: Call a physician IMMEDIATELY! Do not induce vomiting unless so instructed by the physician.

=====

SECTION V - FIRE FIGHTING MEASURES

=====

Flammable Properties:

Flash Point: none
Flammable Limits: n/a
Autoignition Temp: n/a
Method: n/a

Hazardous Combustion Products: CO, CO₂, Oxides of nitrogen

Extinguishing Media: Dry chemical, foam, CO₂ or water fog

Fire Fighting Instructions: Wear self-contained breathing apparatus and full protective equipment for all indoor and significant outdoor fires.

=====

SECTION VI - ACCIDENTAL RELEASE MEASURES

=====

Small Spill: Wash into sewer or absorb with dustless-type hardening compound, cloth paper, etc. and place in a covered container for disposal in accordance with all Federal, state and local laws.

Large Spill: Use same procedures as above and save for disposal in proper accordance.

=====

SECTION VII - HANDLING AND STORAGE

=====

Handling: Keep containers closed. Rinse empty containers three times with water adding rinsings to arterial fluid dilution water. Wash thoroughly after handling.

Storage: Store in cool, well-ventilated areas between 50 and 90°F.

=====

SECTION VIII - EXPOSURE CONTROL/PERSONAL PROTECTION

=====

Engineering Controls: Not normally required.

Respiratory Protection: Not required under normal conditions of use.

Skin Protection: Use latex or other impervious gloves, and impervious gown (or impervious apron and sleeves).

Eye Protection: Use chemical splash goggles. A face shield should also be used if splashes to the face are expected. If the PEL's are exceeded, vapor tight goggles must be used.

=====

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

=====

Boiling Range:	>212°F	Solubility in water:	100%
Vapor Pressure:	NE	Specific Gravity:	1.06
Melting Point:	NA	% Volatile by volume:	>80
Vapor Density:	<1	Appearance:	clear, pinkish liquid. No odor

